

RECEIVED

DEC 17 2018

KURTZ BROS.

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (651) 737-6501 (24 hours)

2018-12-06 21:45:29.033

# **Safety Data Sheet**

Purchase Order #: Customer Number: 88650

0026447472

KURTZ BROTHERS
2018 DAISY ST EXT
CLEARFIELD, PA 16830-3201
USA

#### Dear

Enclosed is the Safety Data Sheet (SDS)\* for the product that your company recently purchased from 3M.

Please forward the attached document(s) to the individual in your organization responsible for hazard communication.

If you are a distributor and resell this product, OSHA and EPA require that you transmit this SDS information to your customers at the time of first shipment or whenever you receive revised SDSs from 3M.

3M SDSs are available over the Internet at www.3m.com/MSDSSearch. You may also order a DVD of 3M SDSs by calling 1-800-364-3577.

3M is committed to meeting our customer requirements. Please contact your 3M customer service or sales representative if you have any questions. If you do not know whom to contact, please call the 3M Product Information Center at 1-800-364-3577.

If you are not currently receiving 3M SDSs by e-mail and would like to do so, please contact our eSDS Administrator at emsdsadmin@mmm.com or by calling 651-736-5875.

\*An Article Information Sheet (AIS) or Article Information Letter (AIL) may be enclosed in place of an SDS if the product is an article which does not require an SDS under the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.



# Safety Data Sheet

Copyright, 2018, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 

07-7652-6

Version Number:

33.00

Issue Date:

05/21/18

Supercedes Date:

01/30/18

## **SECTION 1: Identification**

## 1.1. Product identifier

3M BRAND RE-STICKABLE GLUE STICK 6314, 6307

## **Product Identification Numbers**

44-0028-8705-5, 44-0028-8706-3, 56-0359-9015-1, 70-0050-1334-0, 70-0051-9642-6, 70-0708-2565-1, 70-0708-2598-2, 70-0708-2621-2, 70-0708-2658-4, 70-0708-2659-2, 70-0709-7788-2, 70-0709-7789-0, 70-0709-7813-8, 70-0709-7822-9, 70-0709-7823-7, 70-0709-7824-5, 70-0709-7825-2, 70-0710-2245-6, 70-0710-2246-4, 70-0710-3424-6, 70-0710-3461-8, 70-0710-6879-8, 70-0710-9720-1, 70-0710-9757-3, 70-0711-7568-4, 70-0711-7787-0, 70-0712-1538-1, 70-0712-1540-7, 70-0712-1541-5, 70-0712-1573-8, 70-0712-1597-7, 70-0712-1598-5, 70-0714-2278-9, 70-0714-8230-4, 70-0714-8231-2

## 1.2. Recommended use and restrictions on use

## Recommended use

Adhesive

1.3. Supplier's details

MANUFACTURER:

3M

DIVISION:

Stationery and Office Supplies Division

ADDRESS:

3M Center, St. Paul, MN 55144-1000, USA

Telephone:

1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## **SECTION 2: Hazard identification**

#### 2.1. Hazard classification

Reproductive Toxicity: Category 2.

#### 2.2. Label elements

## Signal word

Warning

#### **Symbols**

Health Hazard

### **Pictograms**



### **Hazard Statements**

Suspected of damaging fertility or the unborn child.

## **Precautionary Statements**

## General:

Keep out of reach of children.

### Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves.

#### Response:

IF exposed or concerned: Get medical advice/attention.

### Storage:

Store locked up.

#### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

26% of the mixture consists of ingredients of unknown acute oral toxicity.

# SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
WATER	7732-18-5	35 - 50
ACRYLATE POLYMER	Trade Secret*	20 - 30
ACRYLIC COPOLYMER	Trade Secret*	5 - 20
SODIUM STEARATE	822-16-2	5 - 10
2-AMINOISOBUTANOL	124-68-5	1 - 5 Trade Secret *
POLYETHYLENE GLYCOL	25322-68-3	1 - 5
Ethoxylated tetramethyldecynediol	9014-85-1	< 2 Trade Secret *
N-VINYLPYRROLIDINONE POLYMER	9003-39-8	< 2
SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE	577-11-7	< 2 Trade Secret *

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

# Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

#### 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307

05/21/18

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eye Contact:**

No need for first aid is anticipated.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

## 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide

#### Condition

**During Combustion During Combustion** 

#### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (gloves, respirators, etc.) as required.

#### 7.2. Conditions for safe storage including any incompatibilities

Page 3 of 10

No special storage requirements.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
POLYETHYLENE GLYCOL	25322-68-3	AIHA	TWA(as particulate):10 mg/m3	
STEARATES	822-16-2	ACGIH	TWA(inhalable fraction):10 mg/m3;TWA(respirable fraction):3 mg/m3	A4: Not class. as human carcin

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

None required.

## Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

## Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

General Physical Form: Specific Physical Form: Solid

Paste

### 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307

05/21/18

Odor, Color, Grade:

Odor threshold

pН

Melting point
Boiling Point
Flash Point
Evaporation rate
Flammability (solid, gas)

Flammable Limits(LEL) Flammable Limits(UEL) Vapor Pressure

Vapor Density Density

Specific Gravity Solubility in Water

Solubility- non-water Partition coefficient: n-octanol/ water

Autoignition temperature Decomposition temperature

Viscosity

Molecular weight Percent volatile White with fatty acid/acrylic odor.

No Data Available

10.7

Approximately 54 °C
Not Applicable
No flash point
Not Applicable
Not Classified
Not Applicable
Not Applicable
11 mmHg [@ 68 °F]

0.96 g/cm3

No Data Available

0.96 [*Ref Std*:WATER=1]

Appreciable
No Data Available
No Data Available
Not Applicable
No Data Available
Not Applicable
Not Applicable
Not Applicable
No Data Available

Approximately 40 %

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

## 10.2. Chemical stability

Stable.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known.

## 10.6. Hazardous decomposition products

**Substance** 

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be

relevant to the material as a whole.

#### 11.1. Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### **Skin Contact:**

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

#### **Eve Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

#### **Additional Health Effects:**

## Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

## Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
ACRYLATE POLYMER	Dermal		LD50 estimated to be > 5,000 mg/kg
ACRYLATE POLYMER	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
POLYETHYLENE GLYCOL	Dermal	Rabbit	LD50 > 20,000 mg/kg
POLYETHYLENE GLYCOL	Ingestion	Rat	LD50 32,770 mg/kg
SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE	Dermal	Rabbit	LD50 > 10,000 mg/kg
Ethoxylated tetramethyldecynediol	Dermal	Rat	LD50 > 2,000 mg/kg
Ethoxylated tetramethyldecynediol	Ingestion	Rat	LD50 6,400 mg/kg
SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 20 mg/l
SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE	Ingestion	Rat	LD50 > 2,100 mg/kg
2-AMINOISOBUTANOL	Dermal	Rabbit	LD50 > 2,000 mg/kg
2-AMINOISOBUTANOL	Ingestion	Rat	LD50 2,900 mg/kg
N-VINYLPYRROLIDINONE POLYMER	Dermal		LD50 estimated to be > 5,000 mg/kg
N-VINYLPYRROLIDINONE POLYMER	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.2 mg/l
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	LD50 100,000 mg/kg

ATE = acute toxicity estimate

Clrin	Carracia	n/Irritation
SKIII	COFFOSIC	m irritation

Name	S	Species	Value	

ACRYLATE POLYMER	Professio	No significant irritation
	nal	
	judgeme	
	nt	
POLYETHYLENE GLYCOL	Rabbit	Minimal irritation
Ethoxylated tetramethyldecynediol	Rabbit	No significant irritation
SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE	Rabbit	Irritant
2-AMINOISOBUTANOL	Rabbit	Irritant
N-VINYLPYRROLIDINONE POLYMER	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value	
POLYETHYLENE GLYCOL	Rabbit	Mild irritant	
Ethoxylated tetramethyldecynediol	Rabbit	Corrosive	
SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE	Rabbit	Corrosive	
2-AMINOISOBUTANOL	Rabbit	Corrosive	

## Skin Sensitization

Name	Species	Value	
ACRYLATE POLYMER	Professio	Not classified	
	nal		
;	judgeme		
	nt		
POLYETHYLENE GLYCOL	Guinea	Not classified	
	pig		
Ethoxylated tetramethyldecynediol	Mouse	Not classified	
2-AMINOISOBUTANOL	Guinea	Not classified	
	pig		
N-VINYLPYRROLIDINONE POLYMER	Human	Not classified	

## Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value	
POLYETHYLENE GLYCOL	In Vitro	Not mutagenic	
POLYETHYLENE GLYCOL	In vivo	Not mutagenic	
Ethoxylated tetramethyldecynediol	In Vitro	Not mutagenic	
2-AMINOISOBUTANOL	In Vitro	Not mutagenic	
2-AMINOISOBUTANOL	In vivo	Not mutagenic	
N-VINYLPYRROLIDINONE POLYMER	In Vitro	Not mutagenic	

Carcinogenicity

Name	Route	Species	Value
POLYETHYLENE GLYCOL	Ingestion	Rat	Not carcinogenic
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Rat	Not carcinogenic

## Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
POLYETHYLENE GLYCOL	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
POLYETHYLENE GLYCOL	Ingestion	Not classified for male reproduction	Rat	NOAEL 5699 +/- 1341 mg/kg/day	5 days
POLYETHYLENE GLYCOL	Not Specified	Not classified for reproduction and/or development		NOEL N/A	

POLYETHYLENE GLYCOL	Ingestion	Not classified for development	Mouse	NOAEL 562 mg/animal/da y	during gestation
Ethoxylated tetramethyldecynediol	Ingestion	Not classified for female reproduction	Rat	NOAEL 2,000 mg/kg/day	1 generation
Ethoxylated tetramethyldecynediol	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,000 mg/kg/day	1 generation
2-AMINOISOBUTANOL	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2-AMINOISOBUTANOL	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	37 days
2-AMINOISOBUTANOL	Dermal	Not classified for development	Rat	NOAEL 300 mg/kg/day	during gestation
2-AMINOISOBUTANOL	Ingestion	Toxic to development	Rat	NOAEL 100 mg/kg/day	premating into lactation
N-VINYLPYRROLIDINONE POLYMER	Ingestion	Not classified for development	Rat	NOAEL 5,000 mg/kg/day	during gestation

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
POLYETHYLENE GLYCOL	Inhalation	respiratory irritation	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks
Ethoxylated tetramethyldecynediol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
2-AMINOISOBUTANOL	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
POLYETHYLENE GLYCOL	Inhalation	respiratory system	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks
POLYETHYLENE GLYCOL	Ingestion	kidney and/or bladder   heart   endocrine system   hematopoietic system   liver   nervous system	Not classified	Rat	NOAEL 5,640 mg/kg/day	13 weeks
Ethoxylated tetramethyldecynediol	Ingestion	liver   blood   kidney and/or bladder	Not classified	Dog	NOAEL 600 mg/kg/day	91 days
2-AMINOISOBUTANOL	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 23 mg/kg/day	90 days
2-AMINOISOBUTANOL	Ingestion	blood   eyes   kidney and/or bladder	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years

## **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

#### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# **SECTION 15: Regulatory information**

#### 15.1. US Federal Regulations

Contact 3M for more information.

## EPCRA 311/312 Hazard Classifications:

Physical Hazards

Not applicable

## Health Hazards

Reproductive toxicity

#### 15.2. State Regulations

Contact 3M for more information.

#### 15.3. Chemical Inventories

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

## 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200,

## **SECTION 16: Other information**

NFPA Hazard Classification

Health: 1 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**HMIS Hazard Classification** 

Health: \*1 Flammability: 0 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program, HMIS® is a registered mark of the American Coatings Association (ACA).

Document Group:

07-7652-6

Version Number:

33.00

Issue Date:

05/21/18

Supercedes Date:

01/30/18

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued.3MMAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3Mproduct is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3Mproduct, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3Mproduct to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3Mprovides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3Mmakes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com